


CTR2-463, CTR2-465, & CTR2-467 Breakdown

3, 5, & 7 Section High Pressure Controls, for large trailers



- * With 5 or 7 sections, or with a 45' boom, use Item 3.
- ** With 5 or 7 sections, or with a 45' boom, use Item 16.
- *** With 5 or 7 sections, or with a 45' boom, use Item 21.
- **** With 5 or 7 sections, or with a 45' boom, use Item 26.

CTR2-463, CTR2-465, & CTR2-467 Breakdown

3, 5, & 7 Section High Pressure Controls, for large trailers

| Ref# | Qty./463 | Qty./465 | Qty./467 | Part Number | Description |
|------|----------|----------|----------|----------------|---|
| 1 | 1 | 1 | 1 | 08874 | Elbow, 1-1/4" HB x 1-1/4" QC |
| 2 | 4.5 | 4.5 | 4.5 | 10104 | Hose, EPDM Rubber 1-1/4" 150 PSI |
| 3 | 21 | 135 | 215 | 1012 | Hose, EPDM Rubber 3/4" 300 PSI |
| 4 | 70 | 0 | 0 | 1016 ** | Hose, EPDM Rubber 1" 300 PSI |
| 5 | 2.5 | 2.5 | 2.5 | 1120 | Hose, Nitrile Grizzly 1-1/4" 500 PSI |
| 6 | 2.5 | 2.5 | 2.5 | 1120 | Hose, Nitrile Grizzly 1-1/4" 500 PSI |
| 7 | 3.5 | 3.5 | 3.5 | 1120 | Hose, Nitrile Grizzly 1-1/4" 500 PSI |
| 8 | 1.5 | 1.5 | 1.5 | 1120 | Hose, Nitrile Grizzly 1-1/4" 500 PSI |
| 9 | 2.5 | 2.5 | 2.5 | 1124 | Hose, Nitrile Grizzly 1-1/2" 500 PSI |
| 10 | 1 | 1 | 1 | 1191532 | Elbow, T5 Male QC x 1-1/4" HB |
| 11 | 1 | 1 | 1 | 1191538 | Elbow, T5 QC x 1-1/2" HB |
| 12 | 1 | 1 | 1 | 279157 | Connector, Male T5 QC to 2" Flange |
| 13 | 4 | 6 | 8 | 38082-15 | Cable, 4 Pin Din Connector w/1.3m 3-Wire |
| 14 | 1 | 1 | 1 | 3T114 | Tee, Fitting 1-1/4" HB Poly |
| 15 | 2 | 0 | 0 | 45529-1 ** + | Fitting, QC 1" Straight HB w/Clip & O-Ring |
| 16 | 1 | 5 | 7 | 45529-3/4 + | Fitting, QC 3/4" Straight HB w/Clip & O-Ring |
| 17 | 2 | 2 | 2 | 46070 ++ | Clamp, Flange 50 series |
| 18 | 1 | 1 | 1 | 463BEC-2Q-D* | Manifold, 3-Valve #50 Flange Inlets, QC Outlets |
| 19 | 1 | 1 | 1 | 475552 *** | Valve, Pressure Relief T5 QC 290 PSI |
| 20 | 4 | 4 | 4 | 5156N | Tubing, Nylon 1/4" OD Black |
| 21 | 2 | 10 | 14 | 6812052 | Hose Clamp, 11/16" - 1-1/4" SS |
| 22 | 4 | 0 | 0 | 6816052 ** | Hose Clamp, 13/16" - 1-1/2" SS |
| 23 | 2 | 2 | 2 | 6820052 | Hose Clamp, 13/16" - 1-3/4" SS |
| 24 | 1 | 1 | 1 | 82614 | Adapter, AS40 to 2" Flange Fitting |
| 25 | 1 | 0 | 0 | A4MC4 | Adapter, TrueSeal 1/4" MPT x 1/4" Tube |
| 26 | 1 | 2 | 2 | A4ME4 | Adapter, TrueSeal Fitting 90° 1/4" Tube |
| 27 | 1 | 1 | 1 | BAAF | Isolator, Pressure Gauge 1/4" FPT |
| 28 | 4 | 4 | 4 | CB38*1G5 | Bolt, Carriage 3/8-16 x 1" Gr 5 |
| 29 | 1 | 1 | 1 | CP45508-1/4-PP | Fitting, Flange 1/4" FPT Gauge Port #50 |
| 30 | 1 | 1 | 1 | CP72238-PP | Fitting, Flange 90° 1-1/4" Hose Barb #50 |
| 31 | 1 | 1 | 1 | DE105 | Decal, Max Operating Pressure |
| 32 | 1 | 1 | 1 | DE115 | Decal, Read Owners Manual |
| 33 | 1 | 1 | 1 | FBWXQ | Washer, Fiber 5/8" x 3/4" x 1/16" |
| 34 | 4 | 4 | 4 | FC100 | Clamp, Flange 1" Std SS |
| 35 | 1 | 1 | 1 | FC200 | Clamp, Flange 2" Std SS |
| 36 | 4 | 4 | 4 | FN38 | Nut, Flange 3/8-16 |
| 37 | 1 | 1 | 1 | FW12S | Washer, Flat, 1/2" SS |
| 38 | 2 | 2 | 2 | G11063 | O-Ring, EDPM T5 Quick Connect |
| 39 | 1 | 1 | 1 | GG3004 | Gauge, 4" Liquid Filled 300 PSI |
| 40 | 3 | 5 | 7 | H6*20M | Bolt, Hex Metric 6mm x 20mm 1.0 Pitch |

CTR2-463, CTR2-465, & CTR2-467 Breakdown

3, 5, & 7 Section High Pressure Controls, for large trailers

| Ref# | Qty./463 | Qty./465 | Qty./467 | Part Number | Description |
|------|----------|----------|----------|--------------|---|
| 41 | 3 | 5 | 7 | LW14 | Washer, Lock 1/4" |
| 42 | 1 | 1 | 1 | M100125BRB | Fitting, Flange 1-1/4" HB x 1" Flange |
| 43 | 2 | 2 | 2 | M100125BRB90 | Flange, 1-1/4" 90 Degree HB x 1" Flange |
| 44 | 4 | 4 | 4 | M100G | Gasket, Manifold EDPM 1" |
| 45 | 1 | 1 | 1 | M100TEE | Tee, Flange 1" Tee |
| 46 | 1 | 1 | 1 | M201G | Gasket, Manifold EPDM 2" w/Rib |
| 47 | 2 | 2 | 2 | N222125 | Bolt, U-Bolt Round 5/16-18 x 1-3/8" x 2-1/2" |
| 48 | 3 | 5 | 7 | NC6M | Nut, Hex 6mm x 1.0 Pitch |
| 49 | 4 | 4 | 4 | SNC516 | Nut, Steel Lock 5/16-18 |
| 50 | 1 | 1 | 1 | T420 | CropCare wiring harness, 26', for TeeJet controls |
| 51 | 1 | 1 | 1 | T853 | Mount for wiring terminal box |
| 52 | 1 | 1 | 1 | T854 | Control manifold mounting bracket |
| 53 | 2 | 2 | 2 | T856 | Guide, Hose |
| 54 | 1 | 1 | 1 | T860 | Regulating valve mount |
| 55 | 1 | 1 | 1 | T872 | Electrical Box, CTR2 Controls |
| 56 | 8 | 8 | 8 | TB163 | Clamp, T-Bolt 1-5/8"-1-7/8" (1.62"/1.87") |
| 57 | 2 | 2 | 2 | TB188 | Clamp, T-Bolt 1-7/8 -2-3/16 (1.93/2.18") |

- * With 5 sections use 465BEC-2Q-D. (Includes breakdown for components.)
- * With 7 sections use 467BEC-2Q-D. (Includes breakdown for components.)
- ** Only used on 60' boom with three sections.
- *** Includes breakdown for components.
- + Includes clip (CP37166-302SS) and o-ring (CP7717-3-912-VI).
- ++ Includes o-ring (CP7717-2-222-VI).