


CTR2-463, CTR2-465, & CTR2-467 Breakdown

3, 5, & 7 Section High Pressure Controls, for large trailers



- * With 5 or 7 sections, or with a 45' boom, use Item 3.
- ** With 5 or 7 sections, or with a 45' boom, use Item 16.
- *** With 5 or 7 sections, or with a 45' boom, use Item 21.
- **** With 5 or 7 sections, or with a 45' boom, use Item 26.

CTR2-463, CTR2-465, & CTR2-467 Breakdown

3, 5, & 7 Section High Pressure Controls, for large trailers

Ref#	Qty./463	Qty./465	Qty./467	Part Number	Description
1	1	1	1	08874	Elbow, 1-1/4" HB x 1-1/4" QC
2	4.5	4.5	4.5	10104	Hose, EPDM Rubber 1-1/4" 150 PSI
3	21	135	215	1012	Hose, EPDM Rubber 3/4" 300 PSI
4	70	0	0	1016 **	Hose, EPDM Rubber 1" 300 PSI
5	2.5	2.5	2.5	1120	Hose, Nitrile Grizzly 1-1/4" 500 PSI
6	2.5	2.5	2.5	1120	Hose, Nitrile Grizzly 1-1/4" 500 PSI
7	3.5	3.5	3.5	1120	Hose, Nitrile Grizzly 1-1/4" 500 PSI
8	1.5	1.5	1.5	1120	Hose, Nitrile Grizzly 1-1/4" 500 PSI
9	2.5	2.5	2.5	1124	Hose, Nitrile Grizzly 1-1/2" 500 PSI
10	1	1	1	1191532	Elbow, T5 Male QC x 1-1/4" HB
11	1	1	1	1191538	Elbow, T5 QC x 1-1/2" HB
12	1	1	1	279157	Connector, Male T5 QC to 2" Flange
13	4	6	8	38082-15	Cable, 4 Pin Din Connector w/1.3m 3-Wire
14	1	1	1	3T114	Tee, Fitting 1-1/4" HB Poly
15	2	0	0	45529-1 ** +	Fitting, QC 1" Straight HB w/Clip & O-Ring
16	1	5	7	45529-3/4 +	Fitting, QC 3/4" Straight HB w/Clip & O-Ring
17	2	2	2	46070 ++	Clamp, Flange 50 series
18	1	1	1	463BEC-2Q-D*	Manifold, 3-Valve #50 Flange Inlets, QC Outlets
19	1	1	1	475552 ***	Valve, Pressure Relief T5 QC 290 PSI
20	4	4	4	5156N	Tubing, Nylon 1/4" OD Black
21	2	10	14	6812052	Hose Clamp, 11/16" - 1-1/4" SS
22	4	0	0	6816052 **	Hose Clamp, 13/16" - 1-1/2" SS
23	2	2	2	6820052	Hose Clamp, 13/16" - 1-3/4" SS
24	1	1	1	82614	Adapter, AS40 to 2" Flange Fitting
25	1	0	0	A4MC4	Adapter, TrueSeal 1/4" MPT x 1/4" Tube
26	1	2	2	A4ME4	Adapter, TrueSeal Fitting 90° 1/4" Tube
27	1	1	1	BAAF	Isolator, Pressure Gauge 1/4" FPT
28	4	4	4	CB38*1G5	Bolt, Carriage 3/8-16 x 1" Gr 5
29	1	1	1	CP45508-1/4-PP	Fitting, Flange 1/4" FPT Gauge Port #50
30	1	1	1	CP72238-PP	Fitting, Flange 90° 1-1/4" Hose Barb #50
31	1	1	1	DE105	Decal, Max Operating Pressure
32	1	1	1	DE115	Decal, Read Owners Manual
33	1	1	1	FBWXQ	Washer, Fiber 5/8" x 3/4" x 1/16"
34	4	4	4	FC100	Clamp, Flange 1" Std SS
35	1	1	1	FC200	Clamp, Flange 2" Std SS
36	4	4	4	FN38	Nut, Flange 3/8-16
37	1	1	1	FW12S	Washer, Flat, 1/2" SS
38	2	2	2	G11063	O-Ring, EDPM T5 Quick Connect
39	1	1	1	GG3004	Gauge, 4" Liquid Filled 300 PSI
40	3	5	7	H6*20M	Bolt, Hex Metric 6mm x 20mm 1.0 Pitch

CTR2-463, CTR2-465, & CTR2-467 Breakdown

3, 5, & 7 Section High Pressure Controls, for large trailers

Ref#	Qty./463	Qty./465	Qty./467	Part Number	Description
41	3	5	7	LW14	Washer, Lock 1/4"
42	1	1	1	M100125BRB	Fitting, Flange 1-1/4" HB x 1" Flange
43	2	2	2	M100125BRB90	Flange, 1-1/4" 90 Degree HB x 1" Flange
44	4	4	4	M100G	Gasket, Manifold EDPM 1"
45	1	1	1	M100TEE	Tee, Flange 1" Tee
46	1	1	1	M201G	Gasket, Manifold EPDM 2" w/Rib
47	2	2	2	N222125	Bolt, U-Bolt Round 5/16-18 x 1-3/8" x 2-1/2"
48	3	5	7	NC6M	Nut, Hex 6mm x 1.0 Pitch
49	4	4	4	SNC516	Nut, Steel Lock 5/16-18
50	1	1	1	T420	CropCare wiring harness, 26', for TeeJet controls
51	1	1	1	T853	Mount for wiring terminal box
52	1	1	1	T854	Control manifold mounting bracket
53	2	2	2	T856	Guide, Hose
54	1	1	1	T860	Regulating valve mount
55	1	1	1	T872	Electrical Box, CTR2 Controls
56	8	8	8	TB163	Clamp, T-Bolt 1-5/8"-1-7/8" (1.62"/1.87")
57	2	2	2	TB188	Clamp, T-Bolt 1-7/8 -2-3/16 (1.93/2.18")

- * With 5 sections use 465BEC-2Q-D. (Includes breakdown for components.)
- * With 7 sections use 467BEC-2Q-D. (Includes breakdown for components.)
- ** Only used on 60' boom with three sections.
- *** Includes breakdown for components.
- + Includes clip (CP37166-302SS) and o-ring (CP7717-3-912-VI).
- ++ Includes o-ring (CP7717-2-222-VI).