




## TR200, TR305, TR400 Breakdown

200, 300, & 400 gallon trailer base kit, configured



# TR200, TR305, TR400 Breakdown



# TR200, TR305, TR400 Breakdown

Ref #	Qty.	Part Numbers	Description
1	1	01788	Pin, Hitch 7/8" x 6-1/4" High Stress
2	8ft	1016	Hose, EPDM Rubber 1" 300 PSI
3	4 ft	3111	Hose, Suction EPDM Blend 1-1/4" 70 PSI
4	4	10004	T4 Connector Fork
-	1	47321	* Tank, 300 Gallon w/ 2-1/2" Sump Yellow
-	1	47323	* Tank, 200 Gallon w/ 2-1/2" Sump Yellow
7	1	47332	Tank, 400 Gallon w/ 2-1/2" Sump Yellow
8	1	139044	Tee, T4 QC, 1 1/4" full port, M6 screws
9	1	158109	Jack, 2000 Lb 10" Side Wind Weld-On Tube
10	1	1091425	T4 Male Straight to 1" HB
11	1	1190425	T4 Female QC to 90 deg 1" HB
12	1	1191425	T4 Male QC to 90 deg 1" HB
13	2	6816052	Hose Clamp, 13/16" - 1-1/2" SS
14	4	6820052	Hose Clamp, 13/16" - 1-3/4" SS
15	4	33710019	Agitator, Jet
16	8	0375P	Shaft Collar, 3/8"
17	1	3A114	Fitting, Hose 1-1/4" MPT x 1-1/4" Barb
18	1	3EL114100	Hose adapter, 90°, 1 1/4" MPT x 1" barb
19	1	45514404A	2-Way Ball Valve T4M, M8 Bolt, Extended Handle
20	1	8M34*4	Nipple, 3/4" MPT x 4" Sch 80 Poly
21	1	8RB11434	Bushing, Reducer 1-1/4" MPT x 3/4" FPT Sch 80 Poly
22	1	AA126ML-F50-50	Strainer, Line 1" Flange 50 Mesh Screen Flush Out
23	4	BTT44	Rivet, Pop 1/8" Dia. x .188" x .250" Grip SS
24	4	CB12*112G5	Bolt, Carriage 1/2-13 x 1 1/2" Gr 5
25	18	CB12*114G5	Bolt, Carriage 1/2-13 x 1 1/4" Gr 5
26	17	CB12*1G5	Bolt, Carriage 1/2-13 x 1" Gr 5
27	4	CB12*2G5	Bolt, Carriage 1/2-13 x 2" Gr 5
28	2	CB12*3G5	Bolt, Carriage 1/2-13 x 3" Gr 5
29	8	CB38*114G5	Bolt, Carriage 3/8-16 x 1-1/4" Gr 5
30	6	CB38*1G5	Bolt, Carriage 3/8-16 x 1" Gr 5
31	6	CB38*234G5	Bolt, Carriage 3/8-16 x 2-3/4" Gr 5
32	22	CB38*34G5	Bolt, Carriage 3/8-16 x 3/4" Gr 5
33	4	CB38*4G5	** Bolt, Carriage 3/8-16 x 4" Gr 5
34	1	DE104	Decal, Agitation Valve
35	5	FC100	Clamp, Flange 1" Std SS
36	45	FN12	Nut, Flange 1/2-13
37	38	FN38	Nut, Flange 3/8-16
38	2	FN516	Nut, Flange 5/16-18
39	2	H5C516*312	Hex bolt, 5/16-18 x 3-1/2", grade 5
40	2	H8*16M	Bolt, Hex Metric 8mm x 16mm 1.25 Pitch Class 10.9 Zinc

# TR200, TR305, TR400 Breakdown

Ref #	Qty.	Part Numbers	Description
41	2	LW34G8	Washer, Lock 3/4" Gr 8
42	2	LW38	Washer, Lock 3/8"
43	3	M100125BRB	Flange, 1-1/4" Hose Barb x 1" Flange
44	1	M100125MPT	Flange, 1-1/4" MPT x 1" Flange
45	1	M100VPG90	Coupling, 90° 1" Flange x 1" Flange
46	5	M100G	Gasket, Manifold EDPM 1"
47	1	MV100CF	Valve, Ball 1" Flange x 1" Flange
48	5	N222190	Bolt, U-Bolt Round 3/8-16 x 2" x 3-1/2" Zinc
49	2	NC34G8	Nut, Hex 3/4-10 Gr 8
50	4	NNC14	Nut, Lock Nylon 1/4-20
51	18	NNC38	Nut, Lock Nylon 3/8-16
52	1	PMB5	Plastic manifold body, 3/4" FPT x 5
53	2	SCC34*2	Screw, Socket Head Cap 3/4-10 x 2"
54	1	SP500	Plate, Serial Number
55	-	SS32	* Tank Strap, 200 gallon, gray
56	-	SS38	* Tank strap, 300 gallon, gray
57	2	SS42	Tank strap, 400 gallon, gray
58	4	T402	Tie down strap plate
59	1	T450	Boom Mount Plate, Left
60	1	T451	Boom Mount Plate, Right
61	1	T452	Platform Cover
62	1	T454	Control Post Mount, Hose Guide
63	1	T457	* Agitation valve mount, low pressure
64	1	T459	Agitation and Max Pressure Mount
65	1	T460	* Control Mount Brace
66	1	T461	Control/Hose Mount
67	2	T463	Filter mount
68	1	T465	Rear Hose Routing Mount
69	1	T468	Handrail weldment
70	1	T469	Hitch weldment
71	1	T470	Main Frame
72	1	T471	Frame Rail, Left, Small Trailer (TR400)
73	1	T472	Frame Rail, Right, Small Trailer (TR400)
74	4	T476	Control Post Hose Guide
75	1	T477	Hitch Weldment
76	2	T481	Step Bracket, Left
77	2	T482	Step Bracket, Right
78	2	T483	Step Weldment
79	3	T486	Hose guide, Small Trailer
80	1	T492	Flow Meter Mount (TR400)

# TR200, TR305, TR400 Breakdown

Ref #	Qty.	Part Numbers	Description
81	1	T496	Small Trailer, Platform Step
82	1	T497	Jack Mount, TR400
83	1	T499	Safety chain, 5/16", For small trailer (TR400)
84	1	T810	Jack stub
85	2	T814	Hydraulic coupler organizer
86	2	T816	Bolt, U-Bolt Square 1/4-20 x 2" x 1-1/2" Zinc hyd hose holder
-	1	TS3260P	* Tank saddle, 200 gallon, gray
-	1	TS3860P	* Tank saddle, 300 gallon, gray
89	1	TS4260P	Tank saddle, 400 gallon, 42" diameter
90	2	WJ215	Latch, Rubber Draw w/Screws

\* Parts used in different sprayer configurations. (Parts shown in views are for the 400 gallon trailer.)

\*\* Use CB38\*234G5 (Bolt, Carriage 3/8-16 x 2-3/4" Gr 5) on 200 gallon trailers, and CB38\*412G5 (Bolt, Carriage 3/8-16 x 4 1/2" Gr 5)

# TR200, TR305, TR400 Breakdown

